

2020 CERTIFICATION

Consumer Confidence Report (CCR)

City	20	Amory	Water	Des	atment
	,		Public Water System	Name	

MS 48000 2 List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community Public Water System (PWS) to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the PWS, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR

CCR DISTRIBUTION (Check all boxes that apply.)						
INDIRECT DELIVERY METHODS (Attach copy of publication, water bill or other)	DATE ISSUED					
☆ Advertisement in local paper (Attach copy of advertisement)	5-19-21					
On water bills (Attach copy of bill)	5-19-21					
□ Email message (Email the message to the address below)						
& Other Posted at City of Amory utilities office	5-19-21					
DIRECT DELIVERY METHOD (Attach copy of publication, water bill or other)	DATE ISSUED					
□ Distributed via U. S. Postal Mail						
□ Distributed via E-Mail as a URL (Provide Direct URL):						
□ Distributed via E-Mail as an attachment						
□ Distributed via E-Mail as text within the body of email message						
□ Published in local newspaper (attach copy of published CCR or proof of publication)						
□ Posted in public places (attach list of locations)						
□ Posted online at the following address (Provide Direct URL):						
CERTIFICATION hereby certify that the CCR has been distributed to the customers of this public water system in	the form and manner identifi					

has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the PWS officials by the MSDH, Bureau of Public Water Supply

SUBMISSION OPTIONS (Select one method ONLY)

You must email, fax (not preferred), or mail a copy of the CCR and Certification to the MSDH.

Mail: (U.S. Postal Service)

MSDH, Bureau of Public Water Supply

P.O. Box 1700 Jackson, MS 39215 Email: water.reports@msdh.ms.gov

Fax: (601) 576-7800

(NOT PREFERRED)



Copy of 2020 Annual Drinking Water Quality Report

Is my water safe?

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791). Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our water source is from 6 wells drawing from the Gordo Aquifer.

Source water assessment and its availability

Our source water assessment has been completed. Our wells were ranked LOWER in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662-256-5633.

Source water assessment and its availability

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). Our source water assessment has been completed. Our wells were ranked LOWER in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662-256-5633.

How can I get involved?

We want our valued customers to be informed about their water utility. If you want additional information, contact our utility office at 256-5633 to schedule a meeting with the water utility staff. Our Board of Alderman meets on the first and third Tuesday of each month, 6:00 PM in the Board Room at City Hall at 109 Front Street.

Description of Water Treatment Process

Your water is treated in a "treatment train" (a series of processes applied in a sequence) that includes coagulation, flocculation, sedimentation, filtration, and disinfection. Coagulation removes dirt and other particles suspended in the source water by adding chemicals (coagulants) to form tiny sticky particles called "floc," which attract the dirt particles. Flocculation (the formation of larger flocs from smaller flocs) is achieved using gentle, constant mixing. The heavy particles settle naturally out of the water in a sedimentation basin. The clear water then moves to the filtration process where the water passes through sand, gravel, charcoal or other filters that remove even smaller particles. A small amount of chlorine or other disinfection method is used to kill bacteria and

other microorganisms (viruses, cysts, etc.) that may be in the water before water is stored and distributed to hames and businesses. SUPPLY in the community.

2021 MAY 25 AM 84 14

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference - try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit <u>www.epa.gov/watersense</u> for more information.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
- Organize a storm drain stenciling project with your local government or water supplier. Stencil a message
 next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water."
 Produce and distribute a flyer for households to remind residents that storm drains dump directly into
 your local water body.

Other Information

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", MS0480002 is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.6-1.2 ppm was 11. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.6-1.2 ppm was 92%.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. City of Amory Water Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure

is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. If present, elevated evated evated can Supple cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. City of Amory Water Department is primarily from providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Additional Information for Arsenic

While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. EPA continues to research the health effects of low levels of arsenic which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

	MCLG	MCL,	Detect In	Range		01.					
Contaminants	or MRDLG	TT, or MRDL	Your Water	Low	High	Sample Date	Violation	Typical Source			
Disinfectants & Disinfection By-Products											
(There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants)											
Chlorine (as Cl2) (ppm)	4	4	1.5	.76	2.09	2020	No	Water additive used to control microbes MRDL Range: 0.76 MG/L to 2.09 MG/L			
Haloacetic Acids (HAA5) (ppb)	NA	60	18	NA	NA	2020	No	By-product of drinking water chlorination			
TTHMs [Total Trihalomethanes] (ppb)	NA	80	21.2	NA	NA	2020	No	By-product of drinking water disinfection			
Inorganic Contamin	ants	*******									
Barium (ppm)	2	2	.013	NA	NA	2019	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits			
Cyanide (ppb)	200	200	.015	NA	NA	2019	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories			

	MCLG	MCL,	Detect In Range						RECEIVED - WATER STATE		
	or	TT, or	You				Sample				2021 MAY 25 AM 8: 14
Contaminants	MRDLG	MRDL	Wat	er I	Low	High	Date	Vio	lation		Typical Source
Fluoride (ppm)	4	4	1.0	5	.6	1.3	2019	No Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories			ich promotes strong teeth; Discharge
Contaminants MCI		MCLG	AL	You Wat		Sample Date	# Samp Exceed AL	eeding Exceed		ds	Typical Source
Inorganic Contamin	ants					-					
Copper - action level at consumer taps (ppm)		1.3	1.3	0		2018	0		No		Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at a taps (ppb)	ection level at consumer b)		15	0		2018	0	No			Corrosion of household plumbing systems; Erosion of natural deposits

Undetected Contaminants

The following contaminants were monitored for, but not detected, in your water.

Contaminants	MCLG or MRDLG	MCL, TT, or MRDL	Your Water	Violation	Typical Source
1,1,1-Trichloroethane (ppb)	200	200	ND	No	Discharge from metal degreasing sites and other factories
1,1,2-Trichloroethane (ppb)	3	5	ND	No	Discharge from industrial chemical factories
1,1-Dichloroethylene (ppb)	7	7	ND	No	Discharge from industrial chemical factories
1,2,4-Trichlorobenzene (ppb)	70	70	NĎ	No	Discharge from textile-finishing factories
1,2-Dichloroethane (ppb)	0	5	ND	No	Discharge from industrial chemical factories
1,2-Dichloropropane (ppb)	0	5	ND	No	Discharge from industrial chemical factories
Antimony (ppb)	6	6	ND	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	ND	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Benzene (ppb)	0	5	ND	No	Discharge from factories; Leaching from gas storage tanks and landfills
Beryllium (ppb)	4	4	ND	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	ND	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Carbon Tetrachloride (ppb)	0	5	ND	No	Discharge from chemical plants and other industrial activities
Chlorobenzene (monochlorobenzene) (ppb)	100	100	ND	No	Discharge from chemical and agricultural chemical factories

	MCLG	MCL,			RECEIVED-WATER SUP
Contaminants	or MRDLG	TT, or MRDL	Your Water	Violation	Typidal Sourco AM 80 14
Chromium (ppb)	100	100	ND	No	Discharge from steel and pulp mills; Erosion of natural deposits
Dichloromethane (ppb)	0	5	ND	No	Discharge from pharmaceutical and chemical factories
Ethylbenzene (ppb)	700	700	ND	No	Discharge from petroleum refineries
Mercury [Inorganic] (ppb)	2	2	ND	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Nitrate [measured as Nitrogen] (ppm)	10	10	ND	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1	ND	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Selenium (ppb)	50	50	ND	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Styrene (ppb)	100	100	ND	No	Discharge from rubber and plastic factories; Leaching from landfills
Tetrachloroethylene (ppb)	0	5	ND	No	Discharge from factories and dry cleaners
Thallium (ppb)	.5	2	ND	No	Discharge from electronics, glass, and Leaching from ore- processing sites; drug factories
Toluene (ppm)	1	1	ND	No	Discharge from petroleum factories
Trichloroethylene (ppb)	0	5	ND	No	Discharge from metal degreasing sites and other factories
Vinyl Chloride (ppb)	0	2	ND	No	Leaching from PVC piping; Discharge from plastics factories
Xylenes (ppm)	10	10	ND		Discharge from petroleum factories; Discharge from chemical factories
cis-1,2-Dichloroethylene (ppb)	70	70	ND	No	Discharge from industrial chemical factories
o-Dichlorobenzene (ppb)	600	600	ND	No	Discharge from industrial chemical factories
p-Dichlorobenzene (ppb)	75	75	ND	No	Discharge from industrial chemical factories
trans-1,2- Dichloroethylene (ppb)	100	100	ND	No	Discharge from industrial chemical factories

nit Descriptions							
Term	Definition						
ppm	ppm: parts per million, or milligrams per liter (mg/L)						
ppb	ppb: parts per billion, or micrograms per liter ($\mu g/L$)						
NA	NA: not applicable						
ND	ND: Not detected						
NR	NR: Monitoring not required, but recommended.						

Important Drinking Water Definitions								
Term	Definition							
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.							

Important 1	Drinking Water Definitions
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

For more information please contact:

Contact Name: Buddy Brown Address: P O Box 266 Amory, MS 38821 Phone: 662-256-5633

ACCOUNT NUMBER: 200407-100412

CUSTOMER NAME: SERVICE ADDRESS: 129 MAIN ST N

METER READING DATE: May 2 2021

DAYS BILLED: 30

This bill is now due and payable. Service may be discontinued without further notice.

RETAIN AND WELL

Amory Water & Electric
129 Main Street North * P.O. Box 266
Amory, MS 88821 4 8 14

Phone: 662-256-5633 After Hours: 662-256-3931

To pay by phone dial:	844-200-2036.	please have your 12	digit account numbe	r available
to pay by priorito arem	0	pioace mare jour in		

SERVICE	PRESENT READING	PREVIOUS READING	KWH USED	AMOUNT
ELECTRIC (KILOWATT HOURS) SANITATION	19418	19343	3000	334.92 166.00
TOTAL CURRENT CHARGES BALANCE FORWARD (PAST DUE)				500.92 0.00

AMOUNT FROM PREVIOUS BILL	LATE CHARGES ADDED	PAYMENTS & ADJUSTMENTS	OTHER DEBITS/CREDITS	BALANCE FORWARD (PAST DUE)	CURRENT	AMOUNT
1,695.96	0.00	1,695.96-	0.00	0.00	500.92	500.92

DEMAND

17.56

We now offer automated phone and online payment options. See cityofamoryms.com for further information or call 662-256-5633 during normal business hours Monday thru Friday 8:00 AM - 5:00 PM. After hours numbers are 662-256-3931 or 662-646-0024. Copy of CCR Annual Water Report available upon request.

200407-100412

COMPARE YOUR USAGE

PERIOD	DAYS	ELECT. KWH USED	AVG. KWH. PER DAY	WATER GALS. USED	AVG. GAL. PER DAY
CURRENT	30	3000	100	N/A	N/A
LAST MONTH	31	3800	123	N/A	N/A
YEAR AGO	30	3680	123	N/A	N/A

PLEASE DETACH AND RETURN BOTTOM FORTION IF PAYING BY MAIL



Amory Water & Electric 129 Main Street North * P.O. Box 266 Amory, MS:38821

RETURN SERVICE REQUESTED

C: 02 R: 010

CUSTOMER ACCOUNT NO:	200407-100412
PAST DUE AMOUNT:	0.00
CURRENT MONTH'S CHARGE:	500.92
NET AMOUNT DUE:	500.92
PAST DUE AFTER:	JUN 2 2021
PENALTY AMOUNT:	0.00
AMOUNT DUE AFTER DUE DATE:	500.92

Please update your contact information on the back of this stub.

This bill is now due and payable. Service may be discontinued without further notice.

000002

ւլնեսկ||||լուլյուկ|դեփեկ||ինիդենեկ||դեկ||դեկ| AMORY WATER & ELECTRIC DEPARTMENT PO BOX 266 AMORY MS 38821-0266



We are pleased to mean this years's Annial Waler Quality Faport (Consume: Confidence Report) as required by the Sale Dinking.
Welley And (Study), This supplied to profess the confidence of the confidence and the confidence and the confidence and the confidence of selections and required to provide the confidence of selections the confidence of selections the confidence of selections the confidence of selections the confidence of the confide

Do I need to take special precautions?

Some propile tries be now value able to continue are in durinfring warm than the general population, through compromised premaring the primare and cancer undergroup or profile tries. The property of the pr

Where does my water come from?

Our water source is from 6 wells drawing from the Gorde Aquiller.

Source wafer assessment and its availability.

were ranked LOVVER in terms of suscapilibility to contamination, for Our source water assussment has been completed. Our wells was copy of the report, please contact our office at 682-256-5633.

Source water assessment and its availability

Determine where including bethind water, may reasonably be expected to contain a feats than another of some contemments and protective of contain and some contemments and contemments and contemments and contemments and contemments and contemments and contemments on the obtained to railing the featurements of the contemments and contemments on the obtained to railing the featurements of the contemments of the

How can I get involved?

With water which customers of the ladgement about how water utility if you want authorise in formation, contact our utility of lite or a section of the contact our utility of lite or a section of the contact of the c

Description of Water Treatment Process

Your winks is branch in a "beatment train" is suries of processes, sported to a requested, heat includes computer, on footpasings, assistantiated from an effect of computer of computer of computers of

Water Conservution Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons for zerom per day? Laddy, there are thing low-cost and ne-cost ways to conserve water. Small banges are more a hig difference: a young today and soon at will be conserve water. Small estages are more a hig difference: a 5 minous abover uses 4 to 5 gallons of water compared to 10 50 gallons for a bath of water overgreed to 10 50 gallons for a 5 gallons of water compared to 10 50 gallons for a 5 bath of water overgreed to 30 50 gallons for a 5 bath of water overgreed to 30 50 gallons for a 5 bath of water overgreed to 30 gallons for a 5 bath of water overgreed to 30 gallons for a 5 bath of water water water and 30 gallons for a 5 bath of water overgreed and 30 gallons for a 5 bath of water water water and 30 gallons for a 5 gallons for a 30 gallon

- 011 water while brushing your teeth, washing your liait and shaving and save up to 500 gallons a
- water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons

 - our clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a
- Where plants only when necessary, whether are merchenitive and take only a few minutes to replace. To reach plants only when necessary, whether are merchenitive and take only a few minutes to replace. To effect plants and intent. Fasted whether the plants are a few drops of food coloring in the lank and wait. If it negst into the clother boal without flushing, when we have, the clother plants at most a serve up to 1,000 galdinary a month. Here, flushing it or replacing it with a new, more efficient modes are up to 1,000 galdinary amount was serve up to 1,000 galdinary amount was serve up to 1,000 galdinary and the serve of the day to reduce evaporation.

 Adopts agmid-for self the day to reduce evaporation.

 Reach your faller of the day to reduce evaporation.

 Feeth your faller of reduce the funding water at future generation that uses water whenly. Make it a family offer to clother the funding water bill.

 Visil was weapas governous for more information.

Protection of thinking water is everyone's responsibility. You can help protect your community's drinking water source in reveal ways.

• Etiminate curves use of laws and garden fertifizers and presticules - they communit

- Pick up after your
 If you have your

- If you have your own sephic system, proportly maintain your tystem to rethree leaching to writer sources or consider connecting to a public water system.

 Dispose of chemicals properly take used manor of it as resysting center.

 Polanicar in your community, find a watershed or wellhead protection organization in your community and volunteer in lodge. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start's Watershed Information Network's How to

Copy of 2020 Annual Drinking Water Quality Report across some steps of the control of Amory Water Department

City-of Amory Water Department

Ring water stafe?

Ring water stafe;

We are pleased to present the control of the contro

Additional Information for Arsenic

While your drinking water meass ENA's stendard for assentic, it does comian low levies of assentic, ENA's standard balances the current understanding of its service spoassible health effects against 19th cours of removing assentic from drinking water, EDA confiness to conservate the health effects of the weeks of it service, which is a filtered bytem to cause can cert in humans at high concentrations and is tinked to other health effects such as son demands and other timeships.

Water Quality Data Table

In order to ensure that tap whete is acte to drint. BAN preaches regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants were insisted only those substances listed below were found in your water. All souther soft limiting water contains domestimated were found in your water. All southers of limiting water or that is a second promise of the contaminants. All the contains the cases, would not provide increased proceeding contaminants would be externely expensive, and in most cases, would not provide increase and received of public health. A few manually occurring minerals may detailly improve the siste of drinking water and have entitional values it low levels. Unless otherwise noted, the data presented in Styring the interval of the contaminant of the space. The PRA or the State requires are to monetical for year to the system is not considered vulnerable to this type of contamination. The terms and abbreviation that imply not be extention, were than the coloring than the entitle of the system is not considered vulnerable to this type of contamination. The terms and abbreviation that may be not be more than or year old. In this table to terms, we transfer that the table.

	MCLG	MCI,	Detect	Rai	Range		FOR A	
Contaminants	MRDLG	TT, or MRDL	Your	Low	He	Sample Date	MRDLG MRDL Water Low High Date Violation	Typical Source
Disinfectants & Disinfection By-Products	nfection By	-Produc	3	6				
Chee is convincing	evidence the	ot addition	n of a di	sinfeet	ant is a	occettery.	for control	There is convincing evidence that addition of a disinfectant is necessary for convol of microbial contaminants)
Ottorine (m Cft.) (ppm)	4	4	1.5	76	2.09	1.5 76 2.09 2020	0 N	Where delitive used to control microbes
		T.						MRUL Range: 0 76 MG/L to 2 09 MG/L
Haleacette Acirls (TAAAS) (ppb)	VN	04	88	ž	NA NA	2020	No	By-product of drinking water chloritation
TTHMs (Total Trihalomethanes) (ppb)	NA	80	21.2	₹ Z	Υ _Α	2020	No ON	By-product of drinking water disinfection
Inorganic Confaminants	ants							
Bartum (ppm)	2	2	.013	NA NA	NA NA	5016	N _o	Dischays of drilling waites. Discharge from ment definedes, Broston of natural deposits
Cyanide (ppb)	200	200	015	NA	¥.	2019	οN	Discharge from plastic and fertiuzer fectories; Duscharge from steet/metal factories

				1 - 2	T	1	T
		Typical Source	Erosion of natural deposits, Water additive which payers arong techt. Discharge from ferturer and aluminum fretories	Typical Source		No Corrusiun of Incuschold plumbing systems; Erusion of natural deposits	Corrosina of household plumbing systems; Brosion of natural deposits
		ladion	Š.	Your Sample Ercecling Freeds		Š	S _o
		V ₁₀		# Samples Erceeding AL			0
		Sample Date	2019	# Sampl Erceedl		Ų.	1
	Range	Hügh	1.05 6 1,3 2019	Sample Date	-	2018	2018
	200	Low	9	four Sater			0
į	Detect	Your	1.05	VE.		1.3	15
	MCI,	TT, or MRDL	-	Your Sample I		13 13 0	0
	MCLG MCI, In	MRDLG MRDL Water Low High Date Violation	4		ants	at.	censulmer
-		Confaminants	Pluoride (ppm)	Contominants	Inorganic Contaminants	Copper - action level at consumer taps (ppm)	Lead - action level of consumer ups (ppb)

Undetected Contaminants

The following contaminants were monitored for, but not detected, in your water

	MCLG	MCL				Important	Important Drinking Water Definitions
Confuminants	MRDLG	TT, or Your MRDL Water	Your	or II, or Your MRDLG MRDL Water Violation	Typical Source	MCL	MCL MCt. Maximum Contaminant
1.1,1-Trichlorositions (ppb)	200	200	QN.		No Discharge from metal degreasing vites and other factories	F	are set in close to the MCLUS
1.1.2-Teichlomothens		-	1	1			T. Transmill Incullidate, at
(pph)		2	Ž	DZ	No Discharge Irom industrial elemical factories	AL	AL. Action (evel: The concen
1,1-Dichloroothylene (ppb)	2	7	£	No.	No Discharge from industrial chemical factories	d	which a water system must fol
1,2,4-T, chlorobinzere (prb)	22	07	ê.	No	No Discharge from textile-finishing factories	Variances	variances Verifice and Exemptions: Ste and countillers
1,2-Dichlorochane (ppb)	0	5	QN	°Z	No Discharge from industrial chemical factories	Fremphons	
1,2-Dichiptopropane	0	. 5	QN		No Duchaye from industrial chemical factories	1 MRDLG	MRDLG MRDLG: Maximum residual of

	MCLG	MCL,			
Contaminants	or MRDLG	TT, or		Your Water Violation	lyptenl Source
Съготит (ррв)	100	801	S	°N	Discharge from steel and pulp mills; Brosion of natural
Dichloromelhane (pph)	0	~	QV.	2	Discharge from pharmaceutical and chemical factories
Ethylbenzene (ppb)	700	700	GN.	e S	Discharge from petroleum refineries
Mercury (Inorganic) (ppb)	2	2	9	No No	Evolution of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Nitrate (measured as Nitrogen) (ppm)	0.	01	P	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Mirite (measured as Nitrogen) (ppm)	-	-	Ð	oN.	Runoff from fertilizer use; Leaching from septic tanks, sewage; Eroston of natural deposits
Sclenium (ppb)	20	90	9	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Styrroz (ppb)	001	8	ê	No	Discharge from rubber and plastic factories, Leaching from landfills
Tchachioroethyleus (ppb)	Đ	'n	2	°N	Discharge from factories and dry cleaners
Thallium (ppb)	5	2	2	2	Discharge from electronics, glass, and Leaching from ore- processing sites, drug factories
То1иеле (ррт)	=	-	ON.	No	Discharge from petroleum factories
Trichloroethylene (ppb)	0	5	Q.	S	Discharge from metal degreasing sites and other factories
Vinyt Chloride (ppb)	0	2	QN	%	Leaching from PVC piping; Discharge from plastics factories
Xylenes (ppm)	10	2	Q	S _N	Discharge from petroleum factories; Discharge from chemical factorics
zis-1,2-Dichlorocihylene (ppb)	0,	2	2	No No	Disobarge from industrial chemical factories
-Dichlorobenzene (ppb)	009	009	Q.	No	Discharge from industrial chemical factories
-Dichlorohenzene (ppb)	75	75	£	2 N	Discharge from industrial chemical factories
rans-1,2- Dichloroethylene (ppb)	001	001	9	2º	Discharge from industrial chemical factories
		l	١	-	

Term	Delinition
nidd	ppm: parts per miltion, or milligrams per lifer (mg/L)
qdd	ppb; parts per billion, or micrograms per liter (µg/L,)
NA	NA: not applicable
NO NO	ND: Not derected
NK	NR. Monitoring not required, but reconumended.

		selow which there is no
Inqorkani Drinking Water Definitions	Definition	MCLG MCLQ. Maximum Contaminant Level Closi: The level ce ² - contaminant in drinking water below which there is no harmon or expected risk to leafth, MCLGs allow for a margin of safety.
Iniportan	Term	MCLG

พอหลานาเคที่สน บาวา

MCL	MCL. MCL: Meximum Contaminant Lovel: The highest level of a contaminant lital is allowed in druiking water, MCLs are set at close to the MCL/S as feasible using the best available treatment technology.
TT	TT: "Irealment Technique: A required process intended to reduce the level of a contaminant in drunking water.
AL	AL? Action (eve): The concentration of a contaminant which, if exceeded, riggers freatment or other requirement which a water system must follow
Variances and Exemptions	Variances Variances and Exemptions. State or BPA permission not to meet an MCL or a treatment technique under certain and conditions.

MRDLG: Maximum residual disinfection level anal. The level of a drawing vector durinfections haloes